



Patrick W. Turner
General Counsel-South Carolina
Legal Department

AT&T South Carolina
1600 Williams Street
Suite 5200
Columbia, SC 29201

T: 803.401-2900
F: 803.254.1731
patrick.turner.1@att.com
www.att.com

July 17, 2008

The Honorable Charles Terreni
Chief Clerk of the Commission
Public Service Commission of South Carolina
Post Office Drawer 11649
Columbia, South Carolina 29211

Re: Application of BellSouth Telecommunications, Inc. to Provide In-Region
InterLATA Services Pursuant to Section 271 of the Telecommunications
Act of 1996
Docket No. 2001-209-C

Dear Mr. Terreni:

In April 2008, AT&T implemented certain Operational Support System ("OSS") changes in the Southeast region. Specifically, AT&T introduced a new Verigate interface for pre-ordering functions. Interested parties, including competitive local exchange carriers ("CLECs"), have been advised of this change through standard CLEC communications, including monthly CMP meetings and the following Accessible Letters ("AL"): AL number CLECSES07-018 (dated October 5, 2007), AL number CLECSES07-024 (dated November 16, 2007), and AL number CLECSES08-021 (dated March 31, 2008). The Accessible Letters are available for review at the following web site:

<https://clec.att.com/clec/accletters/home.cfm?curMonth=yes>


Although these OSS changes do not substantively change the Service Quality Measurement Plan and SEEM Administrative Plan (collectively, "SQM/SEEM Plan"), the SQM/SEEM Plan documentation must be updated to accurately reflect the addition of new interfaces. Accordingly, AT&T has made minor, administrative updates to the SQM/SEEM Plan. For the Commission's convenience, a red-line version of the pages of the SQM/SEEM Plan which have been updated are included with this filing. The updated SQM/SEEM Plan is available for review at the following website:

<http://pmap.wholesale.att.com/content/documentation.aspx>

The Honorable Charles Terreni
July 17, 2008
Page Two

It is important to note that from a performance measurement perspective, the addition of the Verigate interface will have ***no impact*** on the calculation of the OSS measures currently contained in the SQM/SEEM Plan. That is, AT&T will continue to report system response times provided to CLECs via the SQM measure known as OSS-1 [ARI]: OSS Response Interval, and will continue to report the availability of access to the systems as part of the SQM measure known as OSS-2 [IA]: OSS Interface Availability. The method of calculation for the OSS-1 and OSS-2 metrics will not change and the results will continue to be reported on a monthly basis.

Sincerely,

A handwritten signature in black ink, appearing to read "Patrick W. Turner". The signature is fluid and cursive, with a long horizontal stroke extending from the end.

Patrick W. Turner

PWT/nml
Attachments
cc: All parties of record

South Carolina SEEM ADMINISTRATIVE PLAN

South Carolina Plan
Version 2.012

Issue Date: April 6, 2006

Effective Date: May 1, 2006

Approved by the South Carolina Department of Transportation (SCDOT) on April 6, 2006.
The South Carolina Department of Transportation (SCDOT) is the lead agency for the South Carolina
SEEM Administrative Plan.

B.2 Tier 2 Submetrics

Item No.	SQM Ref	Tier 2 Submetric
1	ARI	OSS-1 OSS Response Interval (Pre-Ordering/Ordering) – LENS
2	ARI	OSS-1 OSS Response Interval (Pre-Ordering/Ordering) – TAG/XML
3	ARI	OSS-1 OSS Response Interval (Maintenance & Repair)
4	IA	OSS-2 OSS Interface Availability – (Pre-Ordering/Ordering) – Regional per OSS Interface
5	IA	OSS-2 OSS Interface Availability – (Maintenance & Repair) – Regional per OSS Interface
6	LMT	PO-2 Loop Makeup – Response Time – Electronic - Loop
7	AKC	O-2 Acknowledgement Message Completeness - Acknowledgments
8	FT	O-3 Percent Flow-Through Service Requests – Business
9	FT	O-3 Percent Flow-Through Service Requests – LNP
10	FT	O-3 Percent Flow-Through Service Requests – Residence
11	FT	O-3 Percent Flow-Through Service Requests – UNE-L (includes UNE-L with LNP)
12	RI	O-8 Reject Interval – Fully Mechanized
13	RI	O-8 Reject Interval – Partially Mechanized
14	RI	O-8 Reject Interval – Non Mechanized
15	FOCT	O-9 Firm Order Confirmation Timeliness - Fully Mechanized
16	FOCT	O-9 Firm Order Confirmation Timeliness - Partially Mechanized
17	FOCT	O-9 Firm Order Confirmation Timeliness - Non Mechanized
18	FOCT	O-9 Firm Order Confirmation Timeliness – Local Interconnection Trunks
19	FOCC	O-11 FOC & Reject Response Completeness – Fully Mechanized
20	FOCC	O-11 FOC & Reject Response Completeness – Partially Mechanized
21	FOCC	O-11 FOC & Reject Response Completeness – Non Mechanized
22	OAAT	O-12 Average Answer Time – Ordering Centers – CLEC Local Carrier Service Center
23	MIA	P-3 Percent Missed Installation Appointments – Resale POTS

Item No.	SQM Ref	Tier 2 Submetric
24	MIA	P-3 Percent Missed Installation Appointments – Resale Design
25	MIA	P-3 Percent Missed Installation Appointments – UNE Loops – Design
26	MIA	P-3 Percent Missed Installation Appointments – UNE Loops – Non-Design
27	MIA	P-3 Percent Missed Installation Appointments – UNE xDSL
28	MIA	P-3 Percent Missed Installation Appointments – UNE Line Splitting
29	MIA	P-3 Percent Missed Installation Appointments – LNP Standalone
30	MIA	P-3 Percent Missed Installation Appointments – Local Interconnection Trunks
31	OCI	P-4 Order Completion Interval (OCI) – Resale POTS
32	OCI	P-4 Order Completion Interval (OCI) – Resale Design
33	OCI	P-4 Order Completion Interval (OCI) – UNE Loop Design
34	OCI	P-4 Order Completion Interval (OCI) – UNE Loop Non-Design
35	OCI	P-4 Order Completion Interval (OCI) – UNE xDSL – without conditioning
36	OCI	P-4 Order Completion Interval (OCI) – UNE xDSL – with conditioning
37	OCI	P-4 Order Completion Interval (OCI) – UNE Line Splitting Dispatch
38	OCI	P-4 Order Completion Interval (OCI) – UNE Line Splitting Non-Dispatch
39	OCI	P-4 Order Completion Interval (OCI) – Local interconnection Trunks
40	OCI	P-4 Order Completion Interval (OCI) – UNE EELS
41	CCI	P-7 Coordinated Customer Conversions – Hot Cut Durations
42	CCT	P-7A Coordinated Customer Conversions – Hot Cut Timeliness Percent within Interval
43	NCDD	P-7D Non-Coordinated Customer Conversions – Percent Completed and Notified on Due Date
44	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – Resale POTS
45	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – Resale Design
46	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – UNE Loops - Design
47	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – UNE Loops – Non-Design

Item No.	SQM Ref	Tier 2 Submetric
48	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – UNE xDSL
49	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – UNE Line Splitting - Dispatch
50	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – UNE Line Splitting – Non-Dispatch
51	PPT	P-9 Percent Provisioning Troubles within X days of Service Order Completion – Local Interconnection Trunks
52	SOA	P-11 Service Order Accuracy - Resale
53	SOA	P-11 Service Order Accuracy - UNE
54	LOOS	P-13B LNP – Percent Out of Service < 60 Minutes - LNP
55	LAT	P-13C LNP Percent of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date – LNP – (Standalone)
56	LDT	P-13D LNP – Disconnect Timeliness (Non-Trigger)
57	MRA	MR-1 Percent Missed Repair Appointment – Resale POTS
58	MRA	MR-1 Percent Missed Repair Appointment – Resale Design
59	MRA	MR-1 Percent Missed Repair Appointment – UNE Loops Design
60	MRA	MR-1 Percent Missed Repair Appointment – UNE Loops Non-Design
61	MRA	MR-1 Percent Missed Repair Appointment – UNE xDSL
62	MRA	MR-1 Percent Missed Repair Appointment – UNE Line Splitting
63	MRA	MR-1 Percent Missed Repair Appointment – Local Interconnection Trunks
64	CTRR	MR-2 Customer Trouble Report Rate – Resale POTS
65	CTRR	MR-2 Customer Trouble Report Rate – Resale Design
66	CTRR	MR-2 Customer Trouble Report Rate – UNE Loops Design
67	CTRR	MR-2 Customer Trouble Report Rate – UNE Loops Non-Design
68	CTRR	MR-2 Customer Trouble Report Rate – UNE xDSL
69	CTRR	MR-2 Customer Trouble Report Rate – UNE Line Splitting
70	CTRR	MR-2 Customer Trouble Report Rate – Local Interconnection Trunks
71	MAD	MR-3 Maintenance Average Duration – Resale POTS
72	MAD	MR-3 Maintenance Average Duration – Resale Design

Item No.	SQM Ref	Tier 2 Submetric
73	MAD	MR-3 Maintenance Average Duration – UNE Loops Design
74	MAD	MR-3 Maintenance Average Duration – UNE Loops Non-Design
75	MAD	MR-3 Maintenance Average Duration – UNE xDSL
76	MAD	MR-3 Maintenance Average Duration – UNE Line Splitting
77	MAD	MR-3 Maintenance Average Duration – Local Interconnection Trunks
78	PRT	MR-4 Percent Repeat Customer Troubles within 30 Days – Resale POTS
79	PRT	MR-4 Percent Repeat Customer Troubles within 30 Days – Resale Design
80	PRT	MR-4 Percent Repeat Customer Troubles within 30 Days – UNE Loops Design
81	PRT	MR-4 Percent Repeat Customer Troubles within 30 Days – UNE Loops Non-Design
82	PRT	MR-4 Percent Repeat Customer Troubles within 30 Days – UNE xDSL
83	PRT	MR-4 Percent Repeat Customer Troubles within 30 Days – UNE Line Splitting
84	PRT	MR-4 Percent Repeat Customer Troubles within 30 Days – Local Interconnection Trunks
85	OOS	MR-5 Out of Service (OOS) > 24 hours – Resale POTS
86	OOS	MR-5 Out of Service (OOS) > 24 hours – Resale Design
87	OOS	MR-5 Out of Service (OOS) > 24 hours – UNE Loops Design
88	OOS	MR-5 Out of Service (OOS) > 24 hours – UNE Loops Non-Design
89	OOS	MR-5 Out of Service (OOS) > 24 hours – UNE xDSL
90	OOS	MR-5 Out of Service (OOS) > 24 hours – UNE Line Splitting
91	OOS	MR-5 Out of Service (OOS) > 24 hours – Local Interconnection Trunks
92	BIA	B-1 Invoice Accuracy
93	BIT	B-2 Mean Time to Deliver Invoices – CRIS
94	BIT	B-2 Mean Time to Deliver Invoices – CABS
95	BUDT	B-5 Usage Data Delivery Timeliness
96	BEC	B-10 Percent Billing Adjustment Requests (BAR) Responded to within 45 Business Days – State
97	TGP	TGP Trunk Group Performance
98	MDD	C-3 Collocation Percent of Due Dates Missed

Item No.	SQM Ref	Tier 2 Submetric
99	NT	CM-1 Timelines of Change Management Notices – Region
100	DT	CM-3 Timeliness of Documentation Associated with Change – Region
101	SEC	CM-6 Percentage of Software Errors Corrected in “X” Business Days - Region
102	CRA	CM-7 Percentage of Change Requests Accepted or Rejected Within 10 Days – Region
103	SCRI	CM-11 Percentage of Software Change Requests Implemented Within 60 Weeks of Prioritization – Region

BellSouth Service Quality Measurement Plan (SQM)

South Carolina Performance Metrics

Measurement Descriptions Version 2.01²

~~Issue Date: April 6, 2006~~

Effective Date: May 1, 2006 ~~April 19, 2006~~

Note: This version (2.01²) of the South Carolina SQM complies with the order issued by the South Carolina Public Service Commission (SCPSC) in Docket No. 2004-316-C on March 10, 2006. The reason for this version is to remove the de-listed products from the SQM reports ~~and to add new products as approved by the SCPSC on April 19, 2006.~~

Introduction

BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's wholesale customers. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. This specific SQM is based on Order No. 2006-136 in SCPSC Docket No. 2004-316-C dated March 10, 2006 *in re: Broadband Access to the Internet*, and the subsequent Order No. 2006-137 in SCPSC Docket No. 2004-316-C dated April 12, 2006.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets develop and the processes stabilize. The measurements will be changed to reflect the dynamic changes described above and to correct errors, respond to 3rd Party audits, Orders of the GPSC, FCC and the appropriate Courts of Law.

This document is intended for use by someone with knowledge of the telecommunications industry, information technologies and a functional knowledge of the subject areas covered by BellSouth Performance Measurements and the reports that flow from them.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's PMAP website (<http://pmap.bellsouth.com>) by 8:00 AM EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 AM on the last day of the month or the first business day after the last day of the month.

For details on SEEM, please refer to the SEEM Administrative Plan.

BellSouth shall retain the performance measurement Supporting Data Files (SDF) for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years. Instructions for replicating the reports in the SQM are contained in the Supporting Data User Manual (SDUM). The SDUM is available on the PMAP website and is automatically provided with each SDF download.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the website. The State/Federal Commissions have been given access to the website.

¹ *Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.*

Appendix A: Glossary of Acronyms and Terms

Symbols used in calculations

-

A mathematical operator representing subtraction.

+

A mathematical operator representing addition.

/

A mathematical operator representing division.

<

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<=

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

>

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

()

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

A

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in a like category, e.g. CLEC aggregate equals the sum total of all CLEC data for a given reporting level.

ALEC

Alternative Local Exchange Company - A BellSouth wholesale customer who competes with the Incumbent Local Exchange Carrier (ILEC) and other carriers in providing local service.

ADSL

Asymmetrical Digital Subscriber Line - A transmission technology that allows the use of one existing local twisted-pair to provide high-bandwidth data and voice services simultaneously.

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a local exchange carrier's network.

ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

Auto Clarification

A LSR that was electronically rejected from LESOG and electronically returned to the CLEC for correction.

B

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database) - System used to maintain customer account information which includes, but is not limited to bills, payment history, and memo notations made during customer contact.

BRI

Basic Rate ISDN - This product offering is a two-way line side digital port on a two-wire digital loop. The two-wire digital loop is a dedicated digital transmission facility.

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

C

CABS

Carrier Access Billing System - The BellSouth proprietary corporate database and billing system for access and certain UNE customers and/or services.

CCC

Coordinated Customer Conversions - A simultaneous coordination between the disconnection of existing service and the reconnection of the new service.

CCP OSS (Change Management)

Change Control Process OSS - The Change Control Process (CCP) methods and procedures, a collaborative documented process, used by BellSouth and the CLECs to initiate OSS changes to BellSouth pre-ordering, ordering, and provisioning interfaces. The process includes change requests, CLEC prioritization, release management, defect management, etc.

CCP SQM

Change Control Process SQM - The methods and procedures used by BellSouth to implement changes to performance metrics that have been ordered by a state regulatory commission. This process is documented in the PMQAP.

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CISC

Carrier Interconnection Switching Center - Formerly known as the LISC, the BellSouth Center dedicated to handling CLEC access service requests for interconnection trunks.

CKTID

Circuit Identifier - A unique identifier for elements combined in a service configuration.

CLEC

Competitive Local Exchange Carrier - A BellSouth wholesale customer who competes with the Incumbent Local Exchange Carrier (ILEC) and other carriers in providing local service.

CLP

Competitive Local Provider - A BellSouth wholesale customer who competes with the Incumbent Local Exchange Carrier (ILEC) and other carriers in providing local service.

CMDS

Centralized Message Distribution System - National system used to transfer specially formatted messages among companies.

CM OSS

Change Management OSS - See CCP OSS for definition.

CM SQM

Change Management SQM - See CCP SQM for definition.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI indicates all services available to a customer.

COG

Corporate Gateway - System designed for the electronic submission of xDSL Local Service Requests.

CRIS

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and/or services.

CRSG

Complex Resale Support Group - The group within BellSouth which serves as the interface between the LCSC and the outside plant engineering group. The responsibility of this organization is to provide the parameters for the type of facilities available to provision the service the CLEC has selected.

C-SOTS

CLEC Service Order Tracking System - Provides CLEC's the ability to query the service order database to monitor the progress of CLEC service order activity from service order issuance to order completion.

CSR

Customer Service Record - A record of the customer/end-user information including detail about the services and physical address of the end-user.

CTTG

Common Transport Trunk Group - Trunk groups between BellSouth, Independent end offices, and the BellSouth access tandems.

CWINS Center

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center) - This center provides CLECs with provisioning and maintenance for designed and non-designed local service.

D

Design

Design Service is defined as any special or plain old telephone service order which requires BellSouth design engineering activities.

Disposition & Cause

Types of trouble conditions, (e.g., No Trouble Found (NTF), Central Office Equipment (CO), Customer Premises Equipment (CPE), etc.) These codes identify the location, equipment and/or disposition of a particular trouble. Trouble reports will be closed to the most service affecting code which describes the trouble condition repaired.

DS0

The worldwide standard speed for one digital voice signal (64,000 bps).

DS1

24 DS0s (1.544Mb/sec.)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth service representatives to input service orders in BellSouth format.

DOM

Delivery Order Manager - Determines the needed processing steps for the service request. It then forwards the request on to each required system, in sequence, checking for errors and accuracy.

DSAP

DOE (Direct Order Entry) Support Application - A BellSouth system which assists a service representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSL

Digital Subscriber Line - Allows customers to provide simultaneous two-way transmission of digital signals at speeds of 256 kbps via a two-wire local channel.

DUI

Database Update Information - A functional area measuring the timeliness and accuracy of database updates.

E

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service - A central office housed communications system that provides the customer with direct inward and outward dialing, interconnection to all stations, and custom calling features.

F

Fatal Reject

LSRs electronically rejected from LEO because the required fields are not correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange - A network-provided service in which a telephone in a given local exchange area is connected, via a private line, to a central office in another exchange.

G H

HDSL

High Bit Digital Subscriber Line – A dedicated digital transmission facility from BellSouth's Main Distribution Frame (MDF) to an end user's premises.

I J K

ILEC

Incumbent Local Exchange Carrier – Regional Bell Operating Company (RBOC)

INP

Interim Number Portability – When the customer is originally provided service by an ILEC and decides to change service to a CLEC, the customer may retain their ILEC telephone number. Calls to the ILEC number are rerouted to the CLEC using either the Remote Call Forwarding feature or over a dedicated trunk group from the ILEC switch to the CLEC

ISDN

Integrated Services Digital Network – An integrated digital network in which the same time-division switches and digital transmission paths are used to establish connections for different services. ISDN services include telephone, data, electronic mail, and facsimile.

L

LAN

Local Area Network – A data communications system that lies within a limited spatial area, has a specific user group, has a specific topology, and is not a public switched telecommunications network, but may be connected to one.

Local Area Network (LAN) is a computer network that connects computers within a limited area such as a residence, school, laboratory, university campus or office building. It may consist of mobile devices, desktop computers, and servers that are all linked together by a local area network topology. LANs are used to connect workstations, printers, and other devices within a limited area. They are typically used for sharing resources and data. LANs are often used in businesses and organizations to connect computers and other devices within a limited area. They are typically used for sharing resources and data.

LAUTO

The automatic processor in LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs and preordering transactions, along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems.

LENS

Local Exchange Navigation System - The BellSouth application developed to provide both preordering and ordering electronic interface functions for CLEC's.

LEO

Local Exchange Ordering – A BellSouth system which accepts the output of CLEC interfaces and provides first-level validation to ensure all appropriate fields are populated.

LERG

Local Exchange Routing Guide – The official document which lists all North American Class 5 office (COs or end offices) and which describes their relationship to Class 4 office (tandem offices). Carriers use the LERG in the network design process.

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the service

order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assignment and Control System - Database of facilities inventory and assignment information.

LIDB

Line Information Database - Contains information about the user's calling card and other billing data.

LMOS

Loop Maintenance Operations System - A BellSouth operations system that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST

Loop Maintenance Operations System Host Computer

LMU

Loop Make-up - The physical characteristics of the loop facilities, starting at an ILEC's central office and ending at the serving distribution terminal.

LMUSI

Loop Make-up Service Inquiry - The form submitted by the CLEC to obtain the loop make-up information.

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain their current telephone number as they transfer to a different local service provider.

LNP Gateway

Local Number Portability (gateway) - A system that provides both internal and external communications with various interfaces and processes including:

- (1) Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2) Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3) Providing interface between NPAC and AIN SMS for LNP routing processes.

Loops

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number - A 10-digit number which routes calls to the appropriate end-user's ported telephone number.

LSR

Local Service Request - A request from a CLEC for local resale service or unbundled network elements.

M

Maintenance & Repair

The process and function by which trouble reports are sent to BellSouth and the related service problems are resolved.

MARCH

BellSouth Operations System which accepts service orders and other data, interprets the coding contained in the service order image, and constructs the specific switching system recent change command messages for input into end office switches.

N

NBR

New Business Request - Process required by BellSouth for CLECs to initiate a service, which is not included within its interconnection agreement.

NC

No Circuits - All circuits busy announcement.

NMLI

Native Mode LAN Interconnection - An intraLATA, shared fiber-based, LAN inter-networking service.

NPA

Numbering Plan Area - Area Code portion of a telephone number.

NXX

The exchange portion of a telephone number. The first three digits in a local telephone number which identify the specific telephone company central office serving that number.

O

Ordering - The process and functions where resale services or unbundled network elements are ordered from BellSouth, as well as the process by which an LSR or ASR is placed with BellSouth

Ordering

The process and functions where resale services or unbundled network elements are ordered from BellSouth, as well as the process by which an LSR or ASR is placed with BellSouth

Ordering Interface Gateways

Gateways for CLECs to submit LSRs electronically

Order Types

The following order types are used in this document:

- (1) T - The "to" portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A "T" Order Type is always paired with an "F" Order Type which will have the same telephone number following the "F" Order Type Code unless the orders are within different central offices.
- (2) N - Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another, such as when changing from PBX to Centrex.
- (3) C - Order Type used for the following conditions: changes or partial disconnections of service or equipment; change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer's request.
- (4) R - Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where no field work is involved.

OSPCM

Outside Plant Contract Management System - Provides scheduling and completion information on outside plant construction

activities.

OSS

Operations Support System Multiple support systems and databases which are used to mechanize the flow and performance of work. The term is used to refer to the overall system consisting of complex hardware, computer operating system(s), and applications which are used to provide the support functions.

Out Of Service

Customer has no dial tone and cannot call out

P

PMAP

Performance Measurement Analysis Platform Provides delivery of performance reports via the web and facilitates analysis of the summary level data.

PMQAP

Performance Measurement Quality Assurance Plan BellSouth Operational Guide which documents the systematic procedures used by BellSouth Telecommunications (BST) to produce accurate and reliable service quality measurement reports.

PON

Purchase Order Number Identifier assigned by the customer originating the service request

POTS

Plain Old Telephone Service A term often used to distinguish basic voice telephone from data and other services.

PREDICTOR

BellSouth system used to administer proactive maintenance and rehabilitation activities on outside plant facilities.

Preordering

The process and functions by which information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN An integrated services digital network interface standard designated as having 23B+D channels

Provisioning

The process and functions where necessary work is performed to activate a service requested via a LSR/ASR

Q R

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers

RSAG

Regional Street Address Guide - The BellSouth database which contains street addresses that have been validated for accuracy with state and local government records

RSAGADDR

Regional Street Address Guide Address - RSAG software contract for address search

RSAGTN

Regional Street Address Guide Telephone Number - RSAG software contract for telephone number search

S

SAC

Service Advocacy Center - Resolves issues in the provisioning process

SDUM

Supporting Data User Manual

SEEM

Self Effectuating Enforcement Mechanism - A tiered remedy structure in which payments are made either to the CLEC and/or state regulatory agency, depending on the type and level of parity/benchmark miss that occurs

SGG

ServiceGate Gateway - A common gateway to receive and send interconnection requests

SOCS

Service Order Control System - BellSouth system which routes service order images among BellSouth provisioning systems.

SOG

Service Order Generator - Designed to generate a service order for xDSL

SONGS

Service Order Negotiation and Generation System - This system supports the Consumer, Small Business and Public COUs by providing data entry screens and prompts to aid negotiation and entry of all order types.

Syntactically Incorrect Query

A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, a CLEC would like to query the legacy system for the following address: 1234 Main St. Entering "1234 Main St." will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main St." will be considered syntactically incorrect because invalid characters (example: alpha characters were entered in numeric slots) were used in the address field.

T

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway - TAG was designed to provide an electronic interface or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

Test Transactions/Records

Transactions created by BellSouth, or in tests originated by CLECs, where the CLEC has coordinated the test with BellSouth to enable identification of the transactions as part of a test used to test system functionality.

TN

Telephone Number

Total Manual Fallout

LSRs electronically submitted to BellSouth, which fallout, requiring manual input into a service order generator.

U V

UCL

Unbundled Copper Loop - A dedicated metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a

customer's premises

UNE

Unbundled Network Element Those parts of BellSouth's network required to be unbundled by the Telecommunications Act of 1996 and the implementing regulatory body

USOC

Universal Service Order Code A set of alpha or numeric characters identifying a particular service or equipment

W

WFA

Work Force Administration Electronic document tracking system for trouble reports

WMC

Work Management Center Serves as a single point of contact (SPOC) for all requests for dispatch to the Field Work Group (Central Office or outside technicians)

WTN

Working Telephone Number

X Y Z

XML

eXtensible Markup Language An international standards-based data formatting option designed for information exchange on network systems

Appendix C: OSS Interface Tables

OSS-1 [PRR]: OSS Response Interval (Pre-Ordering/Ordering/Maintenance & Repair)

Table 1: Legacy System Access Times For RNS

System	Contract	Data	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	x	x
RSAG	RSAG-ADDR	Address	x	x
ATLAS	ATLAS-TN	TN	x	x
DSAP	DSAP-DDI	Schedule	x	x
CRIS	CRSACCTS	CSR	x	x
OASIS	OASISBIG	Feature/Service	x	x

Table 2: Legacy System Access Times For R0S

System	Contract	Data	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	x
RSAG	RSAG-ADDR	Address	x	x
ATLAS	ATLAS-TN	TN	x	x
DSAP	DSAP-DDI	Schedule	x	x
CRIS	CRSOCRSR	CSR	x	x
OASIS	OASISBIG	Feature/Service	x	x

Table 3: Legacy System Access Times For LENS *(Enhanced Version - Pre-Order only)*

System	Contract	Data	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	x
RSAG	RSAG-ADDR	Address	x	x
ATLAS	ATLAS-TN	TN	x	x
DSAP	DSAP-DDI	Schedule	x	x
CRIS	CRSECSRL	CSR	x	x
COFFI	COFFI/USOC	Feature/Service	x	x
P/SIMS	PSIMS/ORB	Feature/Service	x	x

Table 4: Legacy System Access Times For TAG/XML

System	Contract	Data	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	x
RSAG	RSAG-ADDR	Address	x	x
ATLAS	ATLAS-TN	TN	x	x
ATLAS	ATLAS-MLH	TN	x	x
ATLAS	ATLAS-DID	TN	x	x
DSAP	DSAP-DDI	Schedule	x	x
CRIS	CRSECSRL	CSR	x	x
P/SIMS	PSIM/ORB	Feature/Service	x	x

Table 5: Legacy System Access Times for M&R (TAFI)

System	BellSouth & CLEC	Count ≤ 10
CRIS	x	x
DLETH	x	x
DLR	x	x
LMOS	x	x
LMOSupd	x	x
LNP Gateway	x	x
MARCH	x	x
OSPCM	x	x
Predictor	x	x
SOCS	x	x
NIW	x	x

OSS-2 [IA]: OSS Interface Availability (Pre-Ordering/Ordering/Maintenance & Repair)

OSS Table 1: SQM Interface Availability for Pre-Ordering/Ordering

OSS Interface Availability Application	Applicable to	% Availability
EDI	CLEC	x
LENS	CLEC	x
LEO	CLEC	x
LESOG	CLEC	x
TAG/XML	CLEC	x
LNP Gateway	CLEC	x
COG	CLEC	x
SGG	CLEC	x
DOE	CLEC/BellSouth	x
SONGS	CLEC/BellSouth	x
ATLAS/COFFI	CLEC/BellSouth	x
BOCRIS/CRIS	CLEC/BellSouth	x
DSAP	CLEC/BellSouth	x
RSAG	CLEC/BellSouth	x
SOCS	CLEC/BellSouth	x
LFACS	CLEC/BellSouth	x
RNS	BellSouth	x
ROS	BellSouth	x

OSS Table 2: SQM Interface Availability for Maintenance & Repair

OSS Interface % Availability

BellSouth TAFI	X
CLEC TAFI	X
CLEC ECTA*	X
WHLS eRepair	X

BellSouth & CLEC

CRIS	X
LMOS HOST	X
LNP Gateway	X
MARCH	X
OSPCM	X
PREDICTOR	X
SOCS	X

*Note: eRepair will be replacing ECTA. CLECs have until June 1, 2008 to transition to eRepair. From November of 2007 until May of 2008, at&t will report both interfaces. Beginning June 1, 2008, only eRepair will be reported.

)

)

)

Joseph Melchers
Chief Counsel
S.C. Public Service Commission
Post Office Box 11649
Columbia, South Carolina 29211
(PSC Staff)
(Electronic Mail)

Jocelyn G. Boyd, Esquire
Staff Attorney
S. C. Public Service Commission
Post Office Box 11649
Columbia, South Carolina 29211
(PSC Staff)
(Electronic Mail)

Russell B. Shetterly, Esquire
P. O. Box 8207
Columbia, South Carolina 29202
(Knology of Charleston and Knology of
South Carolina, Inc.)
(Electronic Mail)

Darra W. Cothran, Esquire
Woodward, Cothran & Herndon
1200 Main Street, 6th Floor
Post Office Box 12399
Columbia, South Carolina 29211
(MCI WorldCom Network Service, Inc.
MCI WorldCom Communications and
MCImetro Access Transmission Services, Inc.)
(Electronic Mail)

John F. Beach, Esquire
John J. Pringle, Jr., Esquire
Ellis Lawhorne & Sims, P.A.
Post Office Box 2285
Columbia, South Carolina 29202
(Resort Hospitality Services, Inc., NuVox
Communications, Inc., AIN and Momentum Business
Solutions, Inc.)
(Electronic Mail)

Marsha A. Ward, Esquire
MCI WorldCom, Inc.
Law and Public Policy
6 Concourse Parkway, Suite 3200
Atlanta, Georgia 30328
(MCI)
(Electronic Mail)

Frank R. Ellerbe, Esquire
Bonnie D. Shealy, Esquire
Robinson, McFadden & Moore, P.C.
1901 Main Street, Suite 1200
Post Office Box 944
Columbia, South Carolina 29202
(SCCTA)
(Electronic Mail)

Genevieve Morelli
Kelley, Drye & Warren, LLP
1200 19th Street, N.W.
Washington, D.C. 20036
(KMC Telecom III, Inc.)
(Electronic Mail)

William R. Atkinson
Director – State Regulatory Affairs
233 Peachtree Street, N.E.
Suite 2200
Atlanta, GA 30303
(Sprint/Nextel)
(Electronic Mail)

Cheryl Sweitzer
EMBARQ
14111 Capital Boulevard
Mailstop NCWKFR0303-3192
Wake Forest, North Carolina 27587
(Sprint/United Telephone)
(Electronic Mail)

Jack Derrick
EMBARQ
14111 Capital Boulevard
Mailstop NCWKFR0313-3192
Wake Forest, North Carolina 27587
(Sprint/United Telephone)
(Electronic Mail)

M. Zel Gilbert, Esquire
Director-External Affairs - Sprint
1122 Lady Street, Suite 1050
Columbia, South Carolina 29201
(Sprint/United Telephone Company)
(Electronic Mail)


Bonnie D. Shealy, Esquire
Robinson McFadden & Moore, P.C.
1901 Main Street, Suite 1200
P. O. Box 944
Columbia, South Carolina 29202
(US LEC)
(Electronic Mail)

Andrew O. Isar
Director – State Affairs
7901 Skansie Avenue, Suite 240
Gig Harbor, WA 98335
(ASCENT)
(Electronic Mail)

Anthony Mastando
ITC^DeltaCom/BTI
7037 Old Madison Pike
Suite 400
Huntsville, Alabama 35806
(Electronic Mail)

Tami Azorsky, Esquire
McKenna & Cuneo, LLP
1900 K Street, N.W.
Washington, DC 20006
(AT&T)
(Electronic Mail)

Robert E. Tyson, Esquire
Sowell Gray Stepp & Laffitte, LLC
1310 Gadsden Street
Columbia, South Carolina 29211
(CompSouth)
(Electronic Mail)



Nyla M. Laney